

SHEET 1 OF 8

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
4172-85SERIAL NO.
10/679,699INFORMATION DISCLOSURE STATEMENT
(Use several sheets if necessary)APPLICANT
Bar-Or et al.FILING DATE
October 2, 2003

GROUP ART 1649

U.S. PATENT DOCUMENTS

| *EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB CLASS | FILING DATE IF APPROP. |
|----------------------|-----|--------------------|------------|---------------|-------|--------------|---------------------------|
| GE | A1. | 6,096,737 | 8/1/2000 | Loder | 514 | 217 | |
| | A2. | 6,475,743 | 11/5/2002 | Bar-Or et al. | 435 | 7.1 | |
| | A3. | 6,555,543 | 4/29/2003 | Bar-Or et al. | 514 | 255.02 | |
| | A4. | 6,492,179 | 12/10/2002 | Bar-Or et al. | 436 | 74 | |
| | A5. | 6,461,875 | 10/8/2002 | Bar-Or et al. | 436 | 536 | |
| | A6. | 6,090,780 | 7/18/2000 | Prasad | 514 | 11 | |
| | A7. | 4,771,056 | 9/13/1988 | Rozencwaig | 514 | 325 | |
| | A8. | 4,661,500 | 4/28/1987 | Rozencwaig | 514 | 325 | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB CLASS | TRANSLATION | |
|----|------|--------------------|-----------|-------------|-------|--------------|-------------|----|
| | | | | | | | YES | NO |
| GE | A9. | WO 02/11676 | 2/14/2002 | PCT | | | | |
| | A10. | NZ 033544 | 8/31/2001 | New Zealand | | | | |
| | A11. | EP 0 835 660 A1 | 4/15/1998 | EPO | | | | |
| | A12. | EP 0 214 557 A2 | 3/18/1987 | EPO | | | | |
| | A13. | EP 0 214 557 A3 | 3/18/1987 | EPO | | | | |
| | A14. | WO 01/34586 | 5/17/2001 | PCT | | | | |
| | A15. | WO 00/20454 | 4/13/2000 | PCT | | | | |

EXAMINER

/Gregory Emch/

DATE CONSIDERED 08/22/2006

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|--------------------------------|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) | ATTY. DOCKET NO. 4172-85 | SERIAL NO. 10/679,699 |
| | APPLICANT Bar-Or et al. | |
| | FILING DATE October 2, 2003 | GROUP ART 1649 |

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB CLASS | TRANSLATION | |
|---------------------|------|--------------------|-----------|--------------------|-------|--------------|---------------------|--|
| GE ↓ | A16. | WO 02/059604 | 8/1/2002 | PCT | | | | |
| | A17. | WO 00/20840 A1 | 4/13/2000 | PCT | | | | |
| | A18. | WO 98/40748 A1 | 9/17/1998 | PCT | | | | |
| | A19. | RU2112242C1 | 5/27/1998 | Russian Federation | | | X, abstract only | |
| | A20. | RU2125728C1 | 1/27/1999 | Russian Federation | | | X, abstract only | |
| | A21. | RU2128840C1 | 4/10/1999 | Russian Federation | | | X, abstract only | |

OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|----|------|--|
| GE | A22. | Esposito et al., "The Solution Structure of the C-Terminal Segment of Tau Protein," <i>Journal of Peptide Science</i> 2000, 6:550-559 |
| | A23. | Gamblin et al., "Tau Polymerization: Role of the Amino Terminus," <i>Biochemistry</i> 2003, 42(7):2252-2257 |
| | A24. | Crowe et al., "The N Terminal Region of Human Tau is Present in Alzheimer's Disease Protein A68 and is Incorporated into Paired Helical Filaments," <i>American Journal of Pathology</i> 1991, 139(6):1463-1470 |
| | A25. | Berry et al., "Inhibition of Tau Polymerization by its Carboxy-Terminal Caspase Cleavage Fragment," <i>Biochemistry</i> 2003, 42:8325-8331 |
| | A26. | Abraha et al., C-terminal inhibition of tau assembly <i>in vitro</i> and in Alzheimer's disease," <i>Journal of Cell Science</i> 2000, 113:3737-3745 |
| ↓ | A27. | Bar-Or et al., "An Analog of the Human Albumin N-Terminus (Asp-Ala-His-Lys) Prevents Formation of Copper-Induced Reactive Oxygen Species," <i>Biochemical and Biophysical Research Communications</i> 2001, 284(3):856-862 |

| | |
|---|-----------------------------------|
| EXAMINER /Gregory Emch/ | DATE CONSIDERED 08/22/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | |
|---|--------------------------------|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) | ATTY. DOCKET NO. 4172-85 | SERIAL NO. 10/679,699 |
| | APPLICANT Bar-Or et al. | |
| | FILING DATE October 2, 2003 | GROUP ART 1649 |

| | | |
|----|------|---|
| GE | A28. | Bar-Or et al., "Potential Plasma Surrogate Biomarkers for CNS Demyelinating Processes," Meeting of the 19th Congress of the European Committee for Treatment and Research in Multiple Sclerosis, Sept. 17-20, 2003 (abstract first distributed at the meeting) |
| | A29. | Garcia-Sierra et al., "Conformational Changes and Truncation of Tau Protein During Tangle Evolution in Alzheimer's Disease," <i>Journal of Alzheimer's Disease</i> 2003, 5:65-77 |
| | A30. | Hasegawa et al., "Protein Sequence and Mass Spectrometric Analysis of Tau in the Alzheimer's Disease Brain," <i>Journal of Biological Chemistry</i> 1992, 267(24):17047-17054 |
| | A31. | Shutov et al., "[Diagnostic Significance of the type of In Vitro Interaction between Blood Lymphocytes and Serotonin in Multiple Sclerosis]" [Article in Russian], <i>Zh Nevrol Psikhiatr Im S S Korsakova</i> 2002, 102(4):35-38, Abstract only, from PubMed - PMID:12001663 |
| | A32. | Lechin et al., "Plasma Neurotransmitters and Cortisol in Chronic Illness: Role of Stress," <i>J Medicine</i> 1994, 25(3-4):181-192, Abstract only, from PubMed - PMID:7996062 |
| | A33. | Takahara et al., "Detection in Human Serum by Radioimmunoassay of Histidyl-Proline Diketopiperazine, a Metabolite of Thyrotropin-Releasing Hormone," <i>J Clinical Endocrinology</i> 1983, 56(2):312-319, Abstract only, from PubMed - PMID:6401750 |
| | A34. | Prasad, "Bioactive Cyclic Dipeptides," <i>Peptides</i> 1995, 16:151-164 |
| | A35. | Jicha et al., "Sequence Requirements for Formation of Conformational Variants of Tau Similar to Those Found in Alzheimer's Disease," <i>Journal of Neuroscience Research</i> 1999, 55:713-723 |
| | A36. | Murray et al., "Role of α -Synuclein Carboxy-Terminus on Fibril Formation in Vitro," <i>Biochemistry</i> 2003, 42:8530-8540 |
| | A37. | Steiner et al., "Histidyl Proline Diketopiperazine (Cyclo [His-Pro]) in Eating Disorders," <i>Neuropeptides</i> 1989, 14(3):185-189, Abstract only, from PubMed - PMID:2615922 |
| | A38. | Prasad et al., "Isolation of cyclo(His-Pro)-like immunoreactivity from Human Urine and Demonstration of its Immunologic, Pharmacologic, and Physico-chemical Identity with the Synthetic Peptide," <i>Biochemistry Int</i> 1990, 21(3):425-434, Abstract only, from PubMed - PMID:2222490 |
| | A39. | Hilton et al., "Food Contains the Bioactive Peptide, Cyclo(His-Pro), <i>J Clinical Endocrinol Metab</i> 1992, 75(2):375-378, Abstract only, from PubMed - PMID:1639938 |
| ↓ | A40. | Banks et al., "Radioactively Iodinated Cyclo(His-Pro) Crosses the Blood-Brain Barrier and Reverses Ethanol-Induced Narcosis," <i>American J Physiol</i> 1993, 264(5 Pt 1):E723-729, Abstract only, from PubMed - PMID:8498494 |

| | |
|---|----------------------------|
| EXAMINER /Gregory Emch/ | DATE CONSIDERED 08/22/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | |
|--|--------------------------------|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) | ATTY. DOCKET NO. 4172-85 | SERIAL NO. 10/679,699 |
| | APPLICANT Bar-Or et al. | |
| | FILING DATE October 2, 2003 | GROUP ART 1649 |

| | | |
|----|------|---|
| GE | A41. | Duntas et al., "A Fast Protein Liquid Chromatography (FPLC) Method for Study of Thyrotropin-releasing Hormone (TRH) and its metabolite Histidyl-Proline Diketopiperazine (CHP) in Human Blood: Degradation in Liver and Pancreatic Diseases," <i>Neuropeptides</i> 1993 25(6):357-361, Abstract only, from PubMed -PMID:8127415 |
| | A42. | Shukla et al., "Role of Endogenous Cyclo(His-Pro) in Cold-Induced Hypothermia in the Desert Rat (<i>Mastomys natalensis</i>)," <i>Peptides</i> 1994, 15(8):1471-1474, Abstract only, from PubMed -PMID:7700849 |
| | A43. | Jaspan et al., "Study of Passage of Peptides Across the Blood-Brain Barrier: Biological Effects of Cyclo(His-Pro) After Intravenous and Oral Administration, <i>Annals of the New York Academy of Science</i> 1994, 739:101-107, Abstract only, from PubMed -PMID:7832464 |
| | A44. | Wolf et al., "Identification of Cyclo(His-Pro)-Like Immunoreactivity in Human Follicular Fluid: Correlation with Steroid and Peptide Hormones," <i>J Soc Gynecol Investigation</i> 1994, 1(3):220-224, Abstract only, from PubMed -PMID:9419775 |
| | A45. | Fragner et al., "A New Biological Contribution of Cyclo(His-Pro) to the Peripheral Inhibition of Pancreatic Secretion," <i>American Journal of Physiology</i> 1997, 273(6 Pt 1):E1127-32, Abstract only, from PubMed -PMID:9435528 |
| | A46. | Yamada et al., "Abundance of Cyclo (His-Pro)-Like Immunoreactivity in the Brain of TRH-deficient Mice," <i>Endocrinology</i> 1999, 140(1):538-541, Abstract only, from PubMed -PMID:9886867 |
| | A47. | Parker et al., "Evidence for the Presence of Immunoreactive Histidyl-Proline Diketopiperazine [Cyclo (His-Pro)] in the Adult Human Brain," <i>Peptides</i> 1983, 4(6):879-881, Abstract only, from PubMed -PMID:6672793 |
| | A48. | Youngblood et al., "Bovine Serum Albumin-GABA-His-Pro-NH2: an Immunogen for Production of Higher Affinity Antisera for TRH," <i>J Neurosci Methods</i> 1983, 9(4):367-373, Abstract only, from PubMed -PMID:6422166 |
| | A49. | Lechan et al., "Thyrotropin Releasing Hormone but not Histidyl-Proline Diketopiperazine is Depleted from Rat Spinal Cord Following 5,7-Dihydroxytryptamine Treatment," <i>Brain Research</i> 1985, 326(1):152-155, Abstract only, from PubMed -PMID:3918765 |
| | A50. | Diamanti Kandarakis et al., "Distribution and Characterization of Cyclo (His-Pro)-Like Immunoreactivity in the Human Gastrointestinal Tract," <i>Neuropeptides</i> 1985, 6(1):21-5, Abstract only, from PubMed -PMID:3990923 |
| | A51. | Pekary et al., "In vitro Production of a TRH-Homologous Peptide and His-Pro Diketopiperazine by Human Semen," <i>J Androl</i> 1985, 6(6):379-385, Abstract only, from PubMed -PMID:3935636 |
| | A52. | Koskinen, "Effect of Low Intravenous Doses of TRH, Acid-TRH and Cyclo (His-Pro) on Cerebral and Peripheral Blood Flows," <i>British Journal of Pharmacology</i> 1986, 87(3):509-519, Abstract only, from PubMed -PMID:3099875 |
| ✓ | A53. | Prasad et al., "Distribution and Characterization of Cyclo (His-Pro)-Like Immunoreactivity in Human Cerebrospinal Fluid," <i>Biochem Biophys Res Commun</i> 1986, 136(2):835-842, Abstract only, from PubMed -PMID:2871837 |

| | | | |
|---|----------------|-----------------|------------|
| EXAMINER | /Gregory Emch/ | DATE CONSIDERED | 08/22/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | |

| | | |
|---|--------------------------------|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) | ATTY. DOCKET NO. 4172-85 | SERIAL NO. 10/679,699 |
| | APPLICANT Bar-Or et al. | |
| | FILING DATE October 2, 2003 | GROUP ART 1649 |

| | | |
|----|------|---|
| GE | A54. | Kurahashi et al., "[Histidyl-Proline Diketopiperazine (HPD) a Metabolite of Thyrotropin-Releasing Hormone (TRH), Improves the Ataxic Gait in 3-Acetylpyridine (3-AP) Treated Rats]" [Article in Japanese] <i>No To Shineki</i> 1986, 38(9):893-898, Abstract only, from PubMed -PMID:3790371 |
| | A55. | Coggins et al., "High Affinity Specific Binding of the Thyrotrophin Releasing Hormone Metabolite Histidylproline to Rat Brain Membranes," <i>Neuropeptides</i> 1987, 9(1):83-91, Abstract only, from PubMed -PMID:3104816 |
| | A56. | Mori et al., "Specific Radioimmunoassay of Cydo (His-Pro), a Biologically Active Metabolite of Thyrotropin-Releasing Hormone," <i>Endocrinology</i> 1981, 108(5):1995-1997, Abstract only, from PubMed -PMID:6783397 |
| | A57. | Mori et al., "Regional Dissociation of Histidyl-Proline Diketopiperazine (Cydo-(His-Pro)) and Thyrotropin-Releasing Hormone (TRH) in the Rat Brain," <i>Brain Research</i> 1982, 231(2):451-453, Abstract only, from PubMed -PMID:6799149 |
| | A58. | Prasad et al., "Distribution and Metabolism of Cyclo (His-Pro): a New Member of the Neuropeptide Family," <i>Peptides</i> 1982, 3(3):591-598, Abstract only, from PubMed -PMID:6812031 |
| | A59. | Mori et al., "Histidyl-Proline Diketopiperazine Cydo (His-Pro): Identification and Characterization in Rat Pancreatic Islets," <i>Biochem Biophys Res Commun</i> 1983, 115(1):281-286, Abstract only, from PubMed -PMID:6351862 |
| | A60. | Mitsuma et al., "Radioimmunoassay for Thyrotropin-Releasing Hormone Precursor Peptide, Lys-Arg-Gln-His-Pro-Gly-Arg-Arg," <i>Exp Clin Endocrinology</i> 1989, 93(1):53-60, Abstract only, from PubMed -PMID:2500352 |
| | A61. | Gu et al., "Diketopiperazine Formation, Hydrolysis, and Epimerization of the New Dipeptide Angiotensin-Converting Enzyme Inhibitor RS-10085," <i>Pharm Res</i> 1987, 4(5):392-397, Abstract only, from PubMed -PMID:3508548 |
| | A62. | Guerra et al., "PEGylation Prevents the N-Terminal Degradation of Megakaryocyte Growth and Development Factor," <i>Pharm Res</i> 1998, 15(12):1822-1827, Abstract only, from PubMed -PMID:9892464 |
| | A63. | Sepetov et al., "Rearrangement, Racemization and Decomposition of Peptides in Aqueous Solution," <i>Peptide Research</i> 1991, 4(5):308-313, Abstract only, from PubMed -PMID:1802242 |
| | A64. | Reubsaet et al., "Qualitative and Quantitative Aspects of the Degradation of Several Tripeptides Derived from the Antitumor Peptide Antagonist [Arg(6), D-Trp(7,9), MePhe(8)] Substance P[6-11]," <i>J Pharm Biomed Anal</i> 1999, 19(3-4):277-284, Abstract only, from PubMed -PMID:10704092 |
| | A65. | Song et al., "Synergistic Antidiabetic Activities of Zinc, Cyclo (His-Pro), and Arachidonic Acid," <i>Metabolism</i> 2001 50(1):53-59, Abstract only, from PubMed -PMID:11172475 |
| ✓ | A66. | Rosenthal et al., "Effects of Arachidonic Acid and Cyclo (His-Pro) on Zinc Transport Across Small Intestine and Muscle Tissues," <i>Life Sci</i> 2001, 70(3):337-348, Abstract only, from PubMed -PMID:12005266 |

| | |
|---|----------------------------|
| EXAMINER /Gregory Emch/ | DATE CONSIDERED 08/22/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | |
|---|--------------------------------|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) | ATTY. DOCKET NO. 4172-85 | SERIAL NO. 10/679,699 |
| | APPLICANT Bar-Or et al. | |
| | FILING DATE October 2, 2003 | GROUP ART 1649 |

| | | |
|----|------|--|
| GE | A67. | Pandey et al., "Synthetic Peptides Corresponding to a Repetitive Sequence of Malarial Histidine Rich Protein Bind Haem and Inhibit Haemozoin Formation in vitro," <i>Mol Biochem Parasitol</i> 1997, 90(1):281-287, Abstract only , from PubMed -PMID:9497049 |
| | A68. | Baig et al., "High Performance Liquid Chromatography as a Tool in the Definition of Abnormalities in Monamine and Tryptophan Metabolites in Cerebrospinal Fluid from Patients with Neurological Disorders," <i>Biomed Chromatogr</i> 1991, 5(3):108-112, Abstract only , from PubMed -PMID:1863084 |
| | A69. | Monaco et al., "Plasma and cerebrospinal fluid tryptophan in Multiple Sclerosis and Degenerative Diseases," <i>J Neurol Neurosurg Psychiatry</i> 1979 42(7):640-1, Abstract only , from PubMed -PMID:479903 |
| | A70. | Scharpe et al., "Peptide Truncation by Dipeptidyl Peptidase IV: A New Pathway for Drug Discovery," <i>Verh K. Acad Geneesk Belg.</i> 2001, 63(1):5-32, Abstract only , from PubMed -PMID:11284388 |
| | A71. | Mentlein et al., "Dipeptidyl-Peptidase IV Hydrolyses Gastric Inhibitory Polypeptide, Glucagon-Like Peptide-1(7-36)amide, Peptide Histidine Methionine and is Responsible for their Degradation in Human Serum," <i>European Journal of Biochemistry</i> 1993, 214(3):829-835, Abstract only , from PubMed -PMID:8100523 |
| | A72. | Hilton et al., "Radioimmunoassay of Cyclo(His-Pro) in Unextracted Human Plasma: Report of a Normal Range and Definition of Factors Critical for Successful Assay," <i>Neuropeptides</i> 1989, 13(1):65-70, Abstract only , from PubMed -PMID:2922107 |
| | A73. | Iriuchijima et al., "Thyrotropin-Releasing Hormone and Cyclo (His-Pro)-Like Immunoreactivities in the Cerebrospinal Fluids of 'Normal' Infants and Adults, and Patients with Various Neuropsychiatric and Neurologic Disorders," <i>Life Sci.</i> 1987, 41(22):2419-2428, Abstract only , from PubMed -PMID:2891013 |
| | A74. | Hilton et al., "Relationship between Plasma Cyclo (His-Pro), a Neuropeptide Common to Processed Protein-Rich Food, C-Peptide/Insulin Molar Ratio in Obese Women," <i>Nutr Neurosci</i> 2001, 4(6):469-474, Abstract only , from PubMed -PMID:11843266 |
| | A75. | Mori et al., "Brain TRH and Cyclo (His-Pro) and Brain Protein in the Newborn Rat are Altered by Maternal Liquid Protein Feeding," <i>Life Sci</i> 1983, 32(14):1607-1612, Abstract only , from PubMed -PMID:6403790 |
| | A76. | Mori et al., "[TRH and Cyclo (His-Pro) Concentrations in the Young Rat Brain are Altered by a Liquid Protein Diet]" [Article in Japanese], <i>Nippon Naibunpi Gakkai Zasshi</i> 1987, 63(7):846-852 |
| | A77. | Mori et al., "Alteration by Liquid Protein Diet of TRH and Cyclo(His-Pro) in the Young Rat Brain," <i>Res. Commun Chem Pathol Pharmacol</i> 1985, 47(1):157-160, Abstract only , from PubMed -PMID:392073 |
| ↓ | A78. | Goolcharran et al., "Comparison of the Rates of Deamidation, Diketopiperazine Formation and Oxidation in Recombinant Human Vascular Endothelial Growth Factor and Model Peptides," <i>AAPS PharmSci</i> 2000, 2(1)E5, Abstract only , from PubMed - PMID:11741221 |

| | |
|---|-------------------------------|
| EXAMINER /Gregory Emch/ | DATE CONSIDERED 08/22/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | |
|--|--------------------------------|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) | ATTY. DOCKET NO. 4172-85 | SERIAL NO. 10/679,699 |
| | APPLICANT Bar-Or et al. | |
| | FILING DATE October 2, 2003 | GROUP ART 1649 |

| | | |
|----|------|---|
| GE | A79. | Moss et al., "Kinetics and Mechanism of the Facile Cyclization of Histidyl-Prolineamide to Cyclo (His-Pro) in Aqueous Solution and the Competitive Influence of Human Plasma," <i>J Pharm Pharmacol</i> 1990, 42(1):7-12, Abstract only , from PubMed - PMID:1969958 |
| | A80. | Hilton et al., "Identification and Characterization of Cyclo (His-Pro)-Like Immunoreactivity in Amniotic Fluid," <i>Peptides</i> 10(2):299-301, Abstract only , from PubMed - PMID:2755872 |
| | A81. | Bhargava et al., "Inhibition of Neuroleptic-Induced Dopamine Receptor Supersensitivity by Cyclo (Leu-Gly)," <i>Pharmacol Biochem Behav</i> 1980, 13(5):633-636, Abstract only , from PubMed - PMID:7443732 |
| | A82. | Ledueque et al., "Histidyl-Proline Diketopiperazine (His-Pro DKP) Immunoreactivity is Present in the Glucagon-Containing Cells of the Human Fetal Pancreas," <i>J Clin Invest</i> 1987, 79(3):875-880, Abstract only , from PubMed - PMID:3102558 |
| | A83. | Battersby et al., "Diketopiperazine Formation and N-Terminal Degradation in Recombinant Human Growth Hormone," <i>Int J Peptide Protein Res</i> 1994, 44(3):215-222, Abstract only , from PubMed - PMID:7822097 |
| | A84. | Bhargava et al., "Inhibition of Neuroleptic-Induced Dopamine Receptor Supersensitivity by Cyclo (Leu-Gly)," <i>Pharmacol. Biochem Behav</i> 1980, 13(5):633-636, Abstract only , from PubMed - PMID:7443732 |
| | A85. | Yanagisawa et al., "The Subcellular and Organ Distribution and Natural Form of Histidyl-Proline Diketopiperazine in Rat brain Determined by a Specific Radiolimmunoassay," <i>J Biol Chem</i> 1980, 255(21):10290-10294, Abstract only , from PubMed - PMID:7430126 |
| | A86. | Hoffman et al., "An Enzymatically Stable Peptide with Activity in the Central Nervous System: Its Penetration Through to Blood-CSF Barrier," <i>Brain Res.</i> 1977, 122(1):87-94, Abstract only , from PubMed - PMID:837226 |
| | A87. | Meester et al., "In Vivo Inhibition of Dipeptidyl Peptidase IV Activity by Pro-Pro-diphenyl-phosphonate (Prodipine)," <i>Biochemical Pharmacology</i> 1997, 54:173-179 |
| | A88. | Prasad et al., "Thermoregulation in rats: opposing effects of thyrotropin releasing hormone and its metabolite histidyl-proline diketopiperazine," <i>Biochem Biophys Res. Commun.</i> 1978, 85(4):1582-187 |
| | A89. | Wilber et al., "Histidyl-proline diketopiperazine: a potent and chronic appetite-inhibiting neuropeptide," <i>Trans Assoc. Am Physicians</i> 1986, 99:245-249 |
| | A90. | Wilber et al., "Endogenous histidyl-proline diketopiperazine [cyclo (His-Pro)]: a potential satiety neuropeptide in normal and genetically obese rodents," <i>Trans Assoc Am Physicians</i> 1983, 96:131-136 |
| | A91. | Bhargava, "Inhibition of abstinence syndrome in opiate dependent mice by cyclo (His-Pro), <i>Life Sci</i> 1981, 28(11):1261-1267 |
| ↓ | A92. | Bhargava, "The effects of thyrotropin releasing hormone and histidyl-proline diketopiperazine on delta-9-tetrahydrocannabinol-induced hypothermia," <i>Life Sci</i> 1980, 26(11):845-850 |

| | |
|---|----------------------------|
| EXAMINER /Gregory Emch/ | DATE CONSIDERED 08/22/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | |
|---|--------------------------------|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) | ATTY. DOCKET NO. 4172-85 | SERIAL NO. 10/679,699 |
| | APPLICANT Bar-Or et al. | |
| | FILING DATE October 2, 2003 | GROUP ART 1649 |

| | | |
|----|------|---|
| GE | A93. | Bhargava, "Antagonism of ketamine-induced anesthesia and hypothermia by thyrotropin releasing hormone and cyclo (His-Pro)," <i>Neuropharmacology</i> 1981, 20(7):699-702 |
| | A94. | Mori et al., "Histidyl-Proline Diketopiperazine cyclo (His-Pro): measurement by radioimmunoassay in human blood in normal subject and in patients with hyper- and hypothyroidism," <i>Biochem Biophys Res Commun</i> 1982, 109(2):541-547 |
| | A95. | Luca et al., "Determination of serotonin content and ceruloplasmin activity, of blood and CSF amino acid level in multiple sclerosis," <i>Neurol Psychiatr (Bucur)</i> 1986, 24(3):153-159 |
| ↓ | A96. | Mori et al., "Distribution of histidyl-proline diketopiperazine [cyclo (His-Pro)] and thyrotropin-releasing hormone (TRH) in the primate central nervous system," <i>Brain Res</i> 1982, 245(1):183-186 |

| | |
|---|-----------------------------------|
| EXAMINER /Gregory Emch/ | DATE CONSIDERED 08/22/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |



Substitute for form 1449A

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT****Complete if Known**

| | | | | | |
|-------|---|----|---|------------------------|-----------------|
| Sheet | 1 | of | 1 | Application Number | 10/679,699 |
| | | | | Filing Date | October 2, 2003 |
| | | | | First Named Inventor | |
| | | | | Art Unit | 1649 |
| | | | | Examiner Name | G. S. Emch |
| | | | | Attorney Docket Number | 4172-85 |

U.S. PATENT DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Document Number Number-kind Code ^{2 (if known)} | Publication Date MM-DD-YYYY | Name of Patentee of Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
|--------------------|-----------------------|---|--------------------------------|--|---|
| GE | | US-6,815,214 B2 | 11-09-2004 | Boyce, et al. | |
| | | US- | | | |

FOREIGN PATENT DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Foreign Patent Document Country Code ² ; Number ³ ; Kind Code ⁴ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ⁵ |
|--------------------|-----------------------|--|--------------------------------|--|---|----------------|
| | | PCT - | | | | |
| | | - | | | | |

OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

| Examiner Initials* | Cite No. ¹ | |
|--------------------|-----------------------|---|
| GE | | Montine et al., Cerebrospinal Fluid Ab42, Tau, and F2-Isoprostane Concentrations in Patients with Alzheimer Disease, Other Dementias, and in Age-Matched Controls, Arch Pathol Lab. Med, April 2001, Vol. 125, pages 510-512. |
| ↓ | | Wennemers et al., Diketopiperazine Receptors: A Novel Class of Highly Selective Receptors for Binding Small Peptides, Chem. Eur. J. 2001, Vol. 7, No. 15, pages 3342-3347. |
| ↓ | | Prakash et al., Synthesis and Biological Activity of Novel Neuroprotective Diketopiperazines, Bioorganic & Medicinal Chemistry, September 2002, Vol. 10, No. 9, pages 3043-3048. |
| ↓ | | McClelland et al., An investigation into the biological activity of the selected histidine-containing diketopiperazines cyclo(His-Phe) and cyclo(His-Tyr), Journal of Pharmacy and Pharmacology, September 2004, Vol. 56, No. 9, pages 1143-1153. |

| | | | |
|--------------------|----------------|-----------------|------------|
| Examiner Signature | /Gregory Emch/ | Date Considered | 08/22/2006 |
|--------------------|----------------|-----------------|------------|

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance and not considered. Include copy of this form with next communication to applicant.

IDS - 06/06/2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

| | |
|------------------------|--------------|
| Application Number | 10679699 |
| Filing Date | 2003-10-02 |
| First Named Inventor | David Bar-Or |
| Art Unit | 1649 |
| Examiner Name | Gregory Emch |
| Attorney Docket Number | 4172-85 |

U.S. PATENTS[Remove](#)

| Examiner Initial* | Cite No | Patent Number | Kind Code ¹ | Issue Date | Name of Patentee or Applicant of cited Document | Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear |
|-------------------|---------|---------------|------------------------|------------|---|--|
| | 1 | | | | | |

If you wish to add additional U.S. Patent citation information please click the Add button.

[Add](#)**U.S. PATENT APPLICATION PUBLICATIONS**[Remove](#)

| Examiner Initial* | Cite No | Publication Number | Kind Code ¹ | Publication Date | Name of Patentee or Applicant of cited Document | Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear |
|-------------------|---------|--------------------|------------------------|------------------|---|--|
| | 1 | | | | | |

If you wish to add additional U.S. Published Application citation information please click the Add button.

[Add](#)**FOREIGN PATENT DOCUMENTS**[Remove](#)

| Examiner Initial* | Cite No | Foreign Document Number ³ | Country Code ² j | Kind Code ⁴ | Publication Date | Name of Patentee or Applicant of cited Document | Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear | T ⁵ |
|-------------------|---------|--------------------------------------|-----------------------------|------------------------|------------------|---|--|--------------------------|
| GE | 1 | 2004034060 | WO | A2 | 2004-04-22 | Van Eyk, et al. | | <input type="checkbox"/> |

If you wish to add additional Foreign Patent Document citation information please click the Add button.

[Add](#)**NON-PATENT LITERATURE DOCUMENTS**[Remove](#)

| Examiner Initials* | Cite No | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, pages(s), volume-issue number(s), publisher, city and/or country where published. | T ⁵ |
|--------------------|---------|---|----------------|
| | | | |

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

| | |
|------------------------|--------------|
| Application Number | 10679699 |
| Filing Date | 2003-10-02 |
| First Named Inventor | David Bar-Or |
| Art Unit | 1649 |
| Examiner Name | Gregory Emch |
| Attorney Docket Number | 4172-85 |

| | | | |
|--|---|--|--------------------------|
| | 1 | | <input type="checkbox"/> |
|--|---|--|--------------------------|

If you wish to add additional non-patent literature document citation information please click the Add button

EXAMINER SIGNATURE

| | | | |
|--------------------|----------------|-----------------|------------|
| Examiner Signature | /Gregory Emch/ | Date Considered | 08/22/2006 |
|--------------------|----------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ See Kind Codes of USPTO Patent Documents at www.USPTO.GOV or MPEP 901.04. ² Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ³ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Applicant is to place a check mark here if English language translation is attached.